

PAWS

SPARE PARTS



Pricelist is valid from 1.01.2023 until the new one is published.

INFORMATION

Transportation costs



We deliver free of charge from a net order value of 50 euros. Below a net order value of 50 euros, there are packaging and freight costs of 15 euros. Until full payment has been received all products remain the property of Rehasense Sp. z o.o.



Customer Service MON-THUR 8:00-16:00; FR 8:00-15:00

MAGDALENA KALISIAK

Customer Service Team Leader

magdalena.kalisiak@rehasense.com

+ 48 668 027 062

JUSTYNA TOKARSKA

justyna.tokarska@rehasense.com

+ 48 514 749 831

MONIKA WIDAWSKA-STĘPIEŃ

monika.widawska-stepien@rehasense.com

+ 48 502 728 409

MARTA MAKARA

marta.makara@rehasense.com

+ 48 880 385 887

MAGDALENA TRAWCZYŃSKA

magdalena.trawczynska@rehasense.com

+ 48 502 728 074

ANETA CYWIŃSKA

aneta.cywinska@rehasense.com

+ 48 606 944 026

ALEKSANDRA MASIAREK

aleksandra.masiarek@rehasense.com

+ 48 884 274 317

MONIKA SPIETZ

monika.spietz@rehasense.com

+49 2821 590 85 87



Please send orders by email to the following address: info@rehasense.com

This is the quickest and easiest way. Thanks very much! Your Rehasense customer service



Sales Department

HEIKO HOPPENBERG

Sales Manager DACH

heiko.hoppenberg@rehasense.com

+ 49 176 578 821 74

SOREN NIELSEN

Key Account Manager North

soren.nielsen@rehasense.com

+ 45 26 31 33 11

ERIC-JAN HOEKSTRA

Key Account Manager South-West & Austria

ericjan.hoekstra@rehasense.com

+ 31 6 46 98 85 99

ARNO MORSSINKHOF

Key Account Manager West, Switzerland &

Luxemburg arno.morssinkhof@rehasense.com

+ 31 6 30 07 93 93

MARCO KÖPKE

Key Account Manager South-East

marco.koepke@rehasense.com

+ 49 163 54 820 63

RALPH DICKHUT

Key Account Manager Mitte

ralph.dickhut@rehasense.com

+ 49 176 458 006 98

RÜDIGER FEIST

Gebietsleiter Bayern/BaWü

rudiger.feist@rehasense.com

+ 49 176 363 184 55

ORDER FORM























Please help us save paper. Please send your orders
by e-mail to info@rehasense.com. Thank you very much!


















If you want to place your order by fax, please use the following fax number: + 49 2821 391 4308



















| | |
|-----------------|-------------------------------------|
| Copmany name : | Date: |
| Customer ID nb: | Order nb: |
| Contact person: | Delivery address |
| E-Mail: | Street & House nb: Zip code & Town: |
| Tel./Fax: | |




















| No. | Picture | Item description | Item no | Order qty | EK Netto | RRP VAT included |
|-----|---------|---|------------|-----------|----------|------------------|
| 1 | | Panasonic, Lithium battery pack ZZ991304, 48 V, 11.6 AH | EBB0048-A | | | |
| 2 | | Bracket+switch assembly for 2 parrallel battery | EBH141 | | | |
| 3 | | Battery holder with bolts | EBB0048-RS | | | |
| 4 | | Greenway zz991304 battery pack, zz991302, 48v,5.8ah,278wh, without charger, without holder, for boardng "rs" assembly | EBB0048B-A | | | |
| 5 | | Charger for lithium battery pack, 48v | EBBC048 | | | |
| 6 | | USA standard power input cable for charger EBBC048 | EBBC048-2A | | | |
| 7 | | Charger for lithium battery pack, 48v, UK version | EBBC048-3 | | | |
| 8 | | UK standard power input cable for charger EBBC048 | EBBC048-3A | | | |
| 9 | | Adjustable spindle for manual clamp, M8, D9.3 x 88 mm stainless steel, untreated | EBC131 | | | |
| 10 | | Lamp assembly with bolts, cable L = 150 mm | EBE002-12R | | | |
| 11 | | Lamp, Albert, 48 V, SPL-01, high beam: 1900LM / 40 W, cable L = 450 mm | EBE002-RS | | | |



| No. | Picture | Item description | Item no | Order qty | EK Netto | RRP VAT included |
|-----|---|---|------------|-----------|----------|------------------|
| 12 |  | Lamper, Albertx, 48 V, SPL-01, High cable L = 150 mm | EBE002-12 | | | |
| 13 |  | Lamp assembly for 12' 14' E-bike | EBH065 | | | |
| 14 |  | Tires for City 12" | 431207 | | | |
| 15 |  | Tires for City 14" | 440872 | | | |
| 16 |  | Tires for Crusier 16" | 431603 | | | |
| 17 |  | Tires for Tourer 20" X 2.125" | 432007 | | | |
| 18 |  | Tires for Tourer 20" X 4.0" | 432005 | | | |
| 19 |  | Tube for City 12" | 451214 | | | |
| 20 |  | Tube for City 14" | 450811 | | | |
| 21 |  | Tube for Crusier 16" | 451602 | | | |
| 22 |  | Tube for Tourer 20" X 2.125" | 45200A | | | |
| 23 |  | Tube for Tourer 20" X 4.20" | 452000 | | | |
| 24 |  | Shimano RT66 disc rotor D203MM for PAWS with instructions | 69D00N | | | |
| 25 |  | Shimano RT56 disc rotor D160MM for PAWS with instructions | 69D00K | | | |
| 26 |  | Brake caliper for disc brakes, Zoom DB-330 with left and right | 69D00-RS | | | |
| 27 |  | Plate for side bracket, 8 mm stainless steel, L = 230 mm, with scale | EBC055W | | | |
| 28 |  | Side bracket assembly, Left, Arms L = 90 mm, with Black clamp, for Manual clamp | EBC060L-BK | | | |

| No. | Picture | Item description | Item no | Order qty | EK Netto | RRP VAT included |
|-----|---|--|------------|-----------|----------|------------------|
| 29 |  | Side bracket assembly, Right, Arms L = 90 mm, with Black clamp, for Manual clamp | EBC060R-BK | | | |
| 30 |  | Side bracket assembly, Left, Arms L = 90 mm, with Black clamp, for Electric clamp | EBC061L-BK | | | |
| 31 |  | Side bracket assembly, Right, Arms L = 90 mm, with Black clamp, for Electric clamp | EBC061R-BK | | | |
| 32 |  | Arm for side bracket, stainless steel, L = 107 mm, with scale | EBC107A | | | |
| 33 |  | Arm for side bracket, stainless steel, L = 107 mm, without scale | EBC107B | | | |
| 34 |  | Arm for side bracket, stainless steel, L = 150 mm, with scale | EBC150A | | | |
| 35 |  | Arm for side bracket, stainless steel, L = 150 mm, without scale | EBC150B | | | |
| 36 |  | Arm for side bracket, stainless steel, L = 190 mm, with scale | EBC190A | | | |
| 37 |  | Arm for side bracket, stainless steel, L = 190 mm, without scale | EBC190B | | | |
| 38 |  | Manual clamp for PAWS, without safety lock, left side, silver anodized | EBC00F-SL | | | |
| 39 |  | Electric clamp for PAWS, with 24 V / 110 RPM / 27 Nm motor, Left side, Silver | EBD01A-SL | | | |
| 40 |  | Support leg sub assembly left side for manual lift 12 inch E-bike | EBL00H | | | |
| 41 |  | Small wheel assembly for support leg for E-bike | EBL00H-A | | | |
| 42 |  | Support leg sub assembly right side for manual lift for 12 inch E-bike | EBL00J | | | |
| 43 |  | Support leg sub on front fork assembly right side for 16 inch E-bike | EBL01D | | | |
| 44 |  | Support leg sub on front fork assembly left side for 20 inch E-bike | EBL01E | | | |
| 45 |  | Support leg sub assembly on front fork left and right side for 20 inch E-bike | EBL01EF | | | |
| 46 |  | Support leg sub on front fork assembly right side for 20 inch E-bike | EBL01F | | | |


















| No. | Picture | Item description | Item no | Order qty | EK Netto | RRP VAT included |
|-----|---|--|------------|-----------|----------|------------------|
| 47 |  | Support tube for support leg for 16 inch E-bike, aluminium, Black anodizing | EBL043 | | | |
| 48 |  | Bracket for support leg for 20 inch E-bike S420 steel, powder coated Black | EBL093 | | | |
| 49 |  | Support leg subassembly left for 12 inch | EBL00S | | | |
| 50 |  | Support leg subassembly left for 14 inch | EBL00S | | | |
| 51 |  | Support leg subassembly left for 16 inch | EBL00K | | | |
| 52 |  | Support leg subassembly left for 20 inch | EBL00P | | | |
| 53 |  | Mudguard yungfang, Black, fd-28-r, with bracket, for 20 x 2,125 inch E-bike | EBF105A | | | |
| 54 |  | Mudguard Black, for 12 inch | EBF102B-RS | | | |
| 55 |  | Mudguard Black, for 14 inch | EBF102B-RS | | | |
| 56 |  | Mudguard Black, for 16 inch | EBF104B-RS | | | |
| 57 |  | Mudguard Black, for 20 X 4.0 inch | EBF103B-RS | | | |
| 58 |  | Side bracket, right pins L = 107 mm, with black clamp | EBC107R-BK | | | |
| 59 |  | Sleeve for Manual PAWS Clamp, Alu. 6061-T6, D51,5 x L18 Black anodized | EBC045-BK | | | |
| 60 |  | QR handle for manual central lift unit, aluminum with bolt | EBA115-RS | | | |
| 61 |  | Manual clamp for PAWS, without safety lock, Right side, Silver anodized | EBC00E-SL | | | |
| 62 |  | Electric clamp for PAWS, with 24 V / 110 RPM / 27 Nm motor, Right side, Silver | EBD01B-SI | | | |
| 63 |  | Basket + lamp assembly for 20' E-bike | EBE00V-A | | | |

| No. | Picture | Item description | Item no | Order qty | EK Netto | RRP VAT included |
|-----|---|--|-----------|-----------|----------|------------------|
| 64 |  | Basket + lamp assembly for 16' E-bike | EBE00V-B | | | |
| 65 |  | Spare part kit for lock on the old basket holder (5 items) | EBH082-RS | | | |
| 66 |  | Bag basket for 16' 20' Auto Lfit E-bike assembly | EBH172 | | | |
| 67 |  | Holder for 16' 20' Manual Lfit E-bike assembly | EBH174 | | | |
| 68 |  | Basket holder for 12''/14'' E-bike unit | EBH208 | | | |
| 69 |  | Support leg subassembly right for 12 inch | EBL00T | | | |
| 70 |  | Support leg subassembly right for 14 inch | EBL00T | | | |
| 71 |  | Support leg subassembly right for 16 inch | EBL00L | | | |
| 72 |  | Support leg subassembly right for 20 inch | EBL00Q | | | |
| 73 |  | Brake pad for brake caliper, set of 2 | 69D00U-RS | | | |
| 74 |  | Handlebar grip | EBE00L-RS | | | |
| 75 |  | Tetra foam handle assembly 3 pieces in set | EBH00E-RS | | | |
| 76 |  | Handlebar, aluminum, D22 x 1.5, L = 480 mm, black | EBH002 | | | |
| 77 |  | Display for PAWS, IMPORTANT: Before shipping, the display must be re-programmed with the latest software and the dealer's own login + setting profile must be set as usual | EBE000 | | | |
| 78 |  | Sticker for buttons | EB5541-RS | | | |
| 79 |  | Parts for extension bar | EBF021-RS | | | |
| 80 |  | 4 Switch unit for PAWS, DK2402, D22 mm, cable L = 200 mm, 7PIN, with JL-F-710AG connector | EBE004-SP | | | |
| 81 |  | Tester for lamp SPL-1, DK138/2, with EBE016-2F (JL-F-Z208M), waterproof cable, L = 200 mm | EBE011-LP | | | |












| No. | Picture | Item description | Item no | Order qty | EK Netto | RRP VAT included |
|-----|---|---|------------|-----------|----------|------------------|
| 82 |  | Speed mode button + Power switch, FOR DISPLAY | EBE000-S | | | |
| 83 |  | Throttle + 3 buttons, S4301 + HT390. (Cruise/TC/Walk) for PAWS, cable L = 200 mm | EBE00H-SP | | | |
| 84 |  | Cable with changeover switch for manual lift system for PAWS | EBA142 | | | |
| 85 |  | Cable with shift switch (80mm longer) for manual lift system for E-bike. | EBA142L | | | |
| 86 |  | Spiral cable with 2-sided 5-wire waterproof plug for E-Clamp | EBE011C | | | |
| 87 |  | Brake L: D7.0 x 1050 mm / inner L:D1.5 x 890 mm, STD | 69104D | | | |
| 88 |  | Brake L: D5.0 x 1070 mm / inner L:D1.5 x 890 mm, Tetra | 691030 | | | |
| 89 |  | Brake cable for handgrip – outer D5 x 1200 mm, inner D1.5 x 1400 mm black | 691008 | | | |
| 90 |  | Brake cable, outer L: D5.0 X 1176mm / inner L: D1.5 X 996 mm, Tetra wider handlebar | 69104T | | | |
| | | Brake cable, outer L: D7.0 X 1148mm / inner L: D1.5 X 988 mm, Manual and Auto wider handlebar | 69104U | | | |
| 91 |  | Integrated waterproof cable, 10PIN | EBE00B-4 | | | |
| 92 |  | Cable with adjust bolt (80 mm longer) for manual lift system for PAWS | EBE00B-4L | | | |
| 93 |  | Integrated waterproof cable, L = 500 mm, (lamp / horn / automatic clamp), 7 PIN | EBE00B-5 | | | |
| 94 |  | Battery holder with 3 keys | EBB0048-KU | | | |
| 95 |  | Lamp holder | EBE002-B | | | |
| 96 |  | PAWS actuators 45mm stroke length | 94RA65A | | | |
| 97 |  | PAWS actuators 38mm stroke length | 94RA66A | | | |
| 98 |  | E-Clamp and Auto Lift Control System Update Unit | EBE0101-UP | | | |
| 99 |  | 12" motor assembly for 12" PAWS | EBT00A-P | | | |
| 100 |  | 14" motor assembly for 14" PAWS | EBT00B-P | | | |

| No. | Picture | Item description | Item no | Order qty | EK Netto | RRP VAT included |
|-----|---|--|------------|-----------|----------|------------------|
| 101 |  | 16" motor assembly for 16" PAWS | EBT00C-P | | | |
| 102 |  | 20" motor assembly for 20" PAWS | EBT00D-P | | | |
| 103 |  | Manual lift central unit for 20 inch E-bike, with head tube (EBA120), without easy lift function | EBA01B | | | |
| 104 |  | Manual lift central unit for 12 inch E-bike, with head tube (EBA130), without easy lift function | EBA01C | | | |
| 105 |  | Gear with support tube for manual lift system, without easy lift function, width: 144 mm | EBA00F-1 | | | |
| 106 |  | Gear with support tube for manual lift system, without easy lift function, width: 150 mm | EBA02B-1 | | | |
| 107 |  | Swing arm with double holes beam, weldment, w = 150 mm, heating treatment T6, black anodized | EBA024-BK | | | |
| 108 |  | Swing arm with double holes beam, weldment, w = 200 mm, heating treatment T6, black anodized | EBA005-BK | | | |
| 109 |  | Gear axle d12 x 41.75 for manual lift central unit | EBA110 | | | |
| 110 |  | Automatic center unit (lifting mechanism for 12", w = 146 mm, with steering column) | EBA02A-BK | | | |
| 111 |  | Automatic center unit (lifting mechanism for 16"/20", w = 146 mm, with steering column) | EBA03A-BK | | | |
| 112 |  | Complete control unit for 12" 14" PAWS, with Auto clamp Manual lift control | EBE00AM1 | | | |
| 113 |  | Complete control unit for 16" 20" PAWS, with Auto clamp Manual lift control | EBE00AM2 | | | |
| 114 |  | Controller box assembly for 12"/14" Manual lift PAWS, with controllier | EBE00M-124 | | | |
| 115 |  | EN - controller box assembly for 16" manual lift PAWS, with controllier | EBE00M-16 | | | |

| No. | Picture | Item description | Item no | Order qty | EK Netto | RRP VAT included |
|-----|---|--|------------|-----------|----------|------------------|
| 116 |  | EN – controller box assembly for 20" manual lift PAWS, with controller | EBE00M-20 | | | |
| 117 |  | EN – controller box assembly for 12"/14" automatic lift PAWS, with controller | EBE00A-124 | | | |
| 118 |  | EN – controller box assembly for 16" automatic lift PAWS, with controller | EBE00A-16 | | | |
| 119 |  | EN – controller box assembly for 20" automatic lift PAWS, with controller | EBE00A-20 | | | |
| 120 |  | E-clamp and Auto lift controller, with brake detection, without coil cable | EBE0101B | | | |
| 121 |  | Povit pin with threaded holes M8, D8 x L31.2, stainless steel | EBA012 | | | |
| 122 |  | Flange head bolt M5 x 10, black galvanized, 10.9 grade | EBA028 | | | |
| 123 |  | Protective piece for kuschall wheel chair for E-bike, with D3.2 mm hole, PVC, Black. Length: 50 mm | EBC001-K | | | |
| 124 |  | Protective piece for oval clamp of PAWS, 5 mm bigger, with D3.2 mm holes, length 50 mm | EBC001-P | | | |
| 125 |  | Protective clamp for E-bike, glass blasting + black anodizing | EBC02N | | | |
| 126 |  | Protective piece for clamp, with D3.2 mm hole, black. Length: 40 mm | EBC001-C | | | |
| 127 |  | Protective piece for clamp, with D3.2 mm hole, black. Length: 50 mm | EBC001-A | | | |
| 128 |  | Protective piece for clamp, with D3.2 mm hole, black. Length: 70 mm | EBC001-E | | | |
| 129 |  | Plate for side bracket weldment, 8 mm stainless steel, with scale | EBC035W | | | |
| 130 |  | DM Controller for 12" wheel E-bike, 20A, 48VDC, 350W/400W, with 12" program- ming, full checking and packing | EBE005-12 | | | |
| 131 |  | DM Controller for 14" wheel E-bike, 20A, 48VDC, 350W/400W, with 14" program- ming, full checking and packing | EBE005-14 | | | |
| 132 |  | DM Controller for 16" wheel E-bike, 25A, 48V DC, 500W | EBE006 | | | |
| 133 |  | DM Controller for 20" wheel E-bike, 25A, 48V DC, 500W | EBE007 | | | |
| 134 |  | Integrated waterproof cable for E-bike, YHIT4, (Brakex 2 / lamp / DK2402), 10 PIN | EBE00B-4 | | | |

| No. | Picture | Item description | Item no | Order qty | EK Netto | RRP VAT included |
|-----|---|--|-----------|-----------|----------|------------------|
| 135 |  | Terproof cable for E-bike, 1TI, L = 500 mm, (Throttles+3 buttons, WUXING, S4301 + HT390, Jun Lei, JL-F-Z209G) | EBE00C-1 | | | |
| 136 |  | Waterproof cable for E-bike, 1TI, L = 600 mm, (for E-clamp active switch), 2 PIN | EBE00C-2 | | | |
| 137 |  | Waterproof extension cable for E-bike, 1TI, L = 300 mm, 3 PIN | EBE00C-3 | | | |
| 138 |  | Red Switch with cable for hydraulic brake, cable length = 200 mm, 2PIN male waterproof plug, Jun Lei, JL-F-Z209G | EBH379 | | | |
| 139 |  | Brake handle for E-bike, with parking, WU XING 108P-4, 1SET (Left+Right), cable L = 100 mm, JL-F-Z308AG plug | EBE00F | | | |
| 140 |  | EBE00L-1 Punching D20 for side warming lamp for Tetra handle | EBE00L-TS | | | |
| 141 |  | Front fork for 12" E-bike, 45# steel, KTL + powder coated | EBF00A | | | |
| 142 |  | Front fork for 16" E-bike, 45# steel, KTL+ powder coated | EBF00B | | | |
| 143 |  | Front fork for 20" E-bike, 45# steel, KTL + powder coated | EBF00C | | | |
| 144 |  | Front fork for 16" E-bike, tube = 382, 45# steel, KTL+ powder coated | EBF00D | | | |
| 145 |  | Front fork for 20" E-bike, tube = 382, 45# steel, KTL + powder coated | EBF00F | | | |
| 146 |  | Spring D3.4 x D28.4 x L55 mm for straight direction, piano wire SWP, 45-50 HRC, silver galvanized | EBF042-S | | | |
| 147 |  | Bear paw LOGO for Rehasense, zinc alloy, with M3 thread, with 2 PCS M3 x 3 bolt, blue color | EBF110 | | | |
| 148 |  | Handle bar assembly for Automatic E-bike, with normal brake | EBH00F | | | |
| 149 |  | Adjustable stem bar FMFXTR, stroke: 30 mm, for E-bike, Black | EBH00G | | | |
| 150 |  | Adjustable stem bar FMFXTR, stroke: 55 mm, for E-bike, Black | EBH01G | | | |
| 151 |  | Tetra handle upgrade unit | EBH00L | | | |

| No. | Picture | Item description | Item no | Order qty | EK Netto | RRP VAT included |
|-----|---|--|-----------|-----------|----------|------------------|
| 152 |  | Vertical Tetra control upgrade | EBH00L-V | | | |
| 153 |  | Standard (para) handle upgrade unit | EBH00M | | | |
| 154 |  | Rear mirror + rear lamp for E-bike assembly | EBH00N | | | |
| 155 |  | Tetra brake push down, eco version, assembly | EBH012 | | | |
| 156 |  | Hydraulic Tetra brake, with EBH308, for 20" inch PAWS | EBH03T | | | |
| 157 |  | Vertical Tetra handle assembly, Left and Right for replacement, 4 pcs/set | EBH195 | | | |
| 158 |  | Thumb throttle include connection cable, for Left and Right side of handle | EBE00M | | | |
| 159 |  | Throttle grip assist, Blue colour, for PAWS | EBH218-BE | | | |
| 160 |  | Throttle grip assist, Black colour, for PAWS | EBH218-BK | | | |
| 161 |  | Throttle grip assist, Green colour, for PAWS | EBH218-GN | | | |
| 162 |  | Throttle grip assist, Red colour, for PAWS | EBH218-RD | | | |
| 163 |  | Throttle grip assist, Yellow colour, for PAWS | EBH218-YW | | | |
| 164 |  | Spare parts for hydraulic brake for PAWS, from ZOOM | EBH00J | | | |
| 165 |  | Hydraulic brack, without disc, 156 lever + 156 Left caliper + 150 Right caliper, switch cable length = 900 mm, from Wuxing | EBH300 | | | |

| No. | Picture | Item description | Item no | Order qty | EK Netto | RRP VAT included |
|-----|--|---|----------|-----------|----------|------------------|
| 166 |  | Handle bar for PAWS, FMFXTR, center diameter: 25.4mm, width: 600 mm, ALU 6061-T6, glass basting + black anodizing | EBH301 | | | |
| 167 |  | Hydraulic brack, without disc, HB-870-2, with CA-01 caliper L+R, switch cable = 200mm, oil cable = 800 mm, from ZOOM | EBH303 | | | |
| 168 |  | Hydraulic brake, HB-870-T-E-2 Left lever, for 20", CA-01 caliper, switch cable = 200mm, oil tube = 800 mm, A1 adapter, ZOOM | EBH303-L | | | |
| 169 |  | Hydraulic brake, HB-870-T-E-2 Right lever, for 20", CA-01 caliper, switch cable = 200 mm, oil tube = 800 mm, A1 adapter, ZOOM | EBH303-R | | | |
| 170 |  | Hydraulic brake, HB-870-2, with parking function, with CA-01 caliper L + R, with cable = 200 mm, oil tube = 900 mm, from ZOOM | EBH304 | | | |
| 171 |  | Hydraulic brake, HB-870-T-E-2 Left lever, for 12", CA-01 caliper, switch cable = 200mm, oil tube = 900 mm, A1 adapter, ZOOM | EBH304-L | | | |
| 172 |  | Hydraulic brake, HB-870-T-E-2 Right lever, for 12", CA-01 caliper, switch cable = 200 mm, oil tube = 900 mm, A1 adapter, ZOOM | EBH304-R | | | |
| 173 |  | Hydraulic brake, HB-870-T-E-2 L + R, for 16", CA-01 caliper, switch cable = 200 mm, oil tube = 900 mm, A5 adapter, ZOOM | EBH307 | | | |
| 174 |  | Hydraulic brake, HB-870-T-E-2 Left lever, for 16", CA-01 caliper, switch cable = 200 mm, oil tube = 800 mm, A5 adapter, ZOOM | EBH307-L | | | |
| 175 |  | Hydraulic brake, HB-870-T-E-2 Right lever, for 16", CA-01 caliper, switch cable = 200 mm, oil tube = 800 mm, A5 adapter, ZOOM | EBH307-R | | | |
| 176 |  | Anti rotation washer for HT motor, for Hengtai motor | EBF069 | | | |

NOTE: We do not offer cross and side frames as spare parts. With good reason we classify such damages as dangerous wand total loss. It means the user needs a new rollator. Safety is the highest priority.




REHASENSE

REHASENSE DENMARK
 GLARMESTERVEJ 16 A, ST. TV. 8600
 SILKEBORG, DENMARK
 +49 176 588 788 01
 INFO@REHASENSE.COM
 REHASENSE DEUTSCHLAND GMBH
 BRIENER STRASSE 25
 47533 KLEVE, GERMANY
 +49 176 588 788 01
 INFO@REHASENSE.COM
 REHASENSE UK LIMITED/IRELAND
 UNIT 2, HARMONY HOUSE TRELEIGH
 INDUSTRIAL ESTATE REDRUTH,
 CORNWALL TR16 4DE UNITED
 KINGDOM
 +44 (0) 333 220 0704
 UKADMIN@REHASENSE.COM
 REHASENSE SP. Z O.O. SULEJOWSKA
 65G
 97-300 PIOTRKÓW TRYBUNALSKI
 POLAND
 +48 502 728 074
 INFO@REHASENSE.COM

REHASENSE BENELUX MARKEWEG 81
 8398GM BLESIJKE, NETHERLANDS
 +31 653 837 211
 INFO@REHASENSE.NL
 REHASENSE CHINA NO.289, WENGJIAO
 ROAD
 XINYANG INDUSTRIAL AREA 361022
 HAICANG, XIAMEN, CHINA
 +86 592 688 4014
 EVELYN.CHEN@REHASENSE.COM
 REHASENSE KOREA
 1F. 338-46, DONGBUSUNHWAN-RO
 WONJU-SI 26454 GANGWON-DO,
 REPUBLIC OF KOREA
 +82 070 4216 3429
 JONGSUNG.KIM@REHASENSE.COM
 REHASENSE NEW ZEALAND UNIT 4, 260
 APIRANA AVENUE GLEN INNES,
 AUCKLAND, 1072, NEW ZEALAND
 +09 555 3111
 NZ-INFO@REHASENSE.COM

REHASENSE MENA QETAF MEDICAL EST
 3599 PRINCE MOHAMMED BIN ABDULAZIZ ST, SAUDI
 LANGAW CENTER, AL ANDALUS JEDDAH 23326, SAUDI
 ARABIA
 +96 650 664 1993
 SALES-MIDDLE-EAST@REHASENSE.COM
 REHASENSE SP. Z O.O.
 WISMARSVÄGEN 12, SE-393 54 KALMAR, SWEDEN
 +46 722 325 090
 MATS.LAVEBORN@REHASENSE.COM
 REHASENSE MOBILITY CANADA LTD 137 BUTTERMILL
 AVENUE CONCORD, ONTARIO, L4K 3X5 CANADA
 +1 289 654 1901
 INFO.CANADA@REHASENSE.COM
 REHASENSE USA
 1333 BURR RIDGE PARKWAY SUITE 200 BURR RIDGE, IL
 60527,
 USA
 +1 630 756 3099
 INFO-USA@REHASENSE.COM

Follow us on social media



Rehasense's quality management complies with both the ISO 9001 and ISO 13485 standards, as confirmed by TÜV NORD.
 Rehasense's medical devices are CE-marked and meet the requirements of EU Regulation 2017/745 (MDR).
 Copyright Rehasense® 2023



VI-2023